

SEQ Water Supply and Sewerage Design & Construction Code

SEQ Accepted Infrastructure Products and Materials

SCHEDULE OF AMENDMENTS

Amendment No. 27 – July 2023



Schedule of Amendments to SEQ Accepted IPAM Lists (Changes from March 2023 to July 2023 Version)

| SEQ Accepted Civil IPAM List | |
|---|--|
| Whole of Document Change | |
| Updated applicable version of WSAA Product Specification No. with Service Provider Specific Requirements from Version 7.4 to Version 7.6 (May 2023) | |
| Products | Change |
| Category: Sewerage Pipes and Fittings- Non Pressure | |
| DI pipe | Update acceptance requirements for the following: Manufacturer/Supplier: VonRoll / Reece Trade Name: Ducpur / Ecopur Redland City Council Acceptance Requirements: NOT ACCEPTED BY SP |
| DI mechanical couplings - Non End Thrust Restraint | Update acceptance requirements for the following: Manufacturer/Supplier: Civil Pipes Trade Name: CPS Uni-Gib Unity Water Acceptance Requirements: Accepted for use |
| FW-GRP (filament wound) pipe and Fittings - Sewer Pipe | Update acceptance requirements for the following products: Manufacturer/Supplier: Global Pipe Trade Name: Fiberstrong Unitywater Acceptance Requirements: Accepted for use |
| FW-GRP (filament wound) pipe and Fittings - Jacking Pipe | New product in the category: Manufacturer/Supplier: Empire Infrastructure/Future Pipe Industries Trade Name: Fiberstrong Logan City Council Acceptance Requirements: Considered on case by case basis All other utilities Acceptance Requirements: Acceptance yet to be determined |
| Non-return valves | New Product in the category: Manufacturer/Supplier: Fernco Trade Name: HDPE Flap Valave Size Range: DN100 to DN600 Logan City Council Acceptance Requirements: Considered on case by case basis All other utilities Acceptance Requirements: Acceptance yet to be determined Update acceptance requirements for the following: Manufacturer/Supplier: Prime Composites Trade Name: Ring Mount Floodgate Trade Name: Wall Mount Flood Gate Trade Name: Scour Valve Floodgate Redland City Council Acceptance Requirements: Considered on case by case basis |
| Category: Sewerage Pipes and Fittings - Pressure | |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|--|
| <p>DI pipe</p> | <p>Update the WSAA Product Specification to the following: 4.1 - All Pressure Classes - see Column G 4.3 - Internal Linings - see Columns G-L</p> |
| <p>DI fittings - bends, tapers, tees/branches, connectors, risers & caps/blank ends</p> | <p>Remove the following product from the category: Manufacturer/Supplier: Clover Pipelines Trade Name: Clover Size Range: DN80 to DN150</p> <p>Include a product trade name for the following product: Manufacturer/Supplier: Derwent Trade Name: Derwent (plus A or J or M) Manufacturer/Supplier: Gillies / Hygrade Trade Name: Gillies Manufacturer/Supplier: Dobbie Dico Trade Name: Dobbie Series G1 (not Series G2)</p> <p>Update the following product trade name for the following products: Manufacturer/Supplier: Crevet/Iplex Trade Name: Crevet (not Crevet SL) Manufacturer/Supplier: Vinidex Trade Name: Superlink (not Superlink II)</p> <p>Update the WSAA Product Specification 4.2 to the following: 4.2 – PN35 wall thickness for all fittings including PN16 flanged fittings</p> <p>Update the following products size range to include (not 225) Manufacturer/Supplier: Gillies / Hygrade Manufacturer/Supplier: Himgiri Castings/Galvin Engineering/Civil Pipes Manufacturer/Supplier: Dobbie Dico Manufacturer/Supplier: Mallet Manufacturer/Supplier: Daemco Manufacturer/Supplier: Reece</p> <p>Update Specified Requirements / Minimum Class to include the following wording: Traditional fittings</p> |
| <p>Repair Couplings</p> | <p>New product in the category: Manufacturer / Supplier name: Bellhouse Trade Name: Bell Joint Leak Clamp Unity Water Acceptance Requirements: SP USE ONLY All other Utilities Acceptance Requirements: Acceptance yet to be determined</p> |
| <p>DI mechanical couplings - Non End Thrust Restraint</p> | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Civil Pipes Trade Name: CPS Uni-Gib Unity Water Acceptance Requirements: Accepted for use</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|--|
| <p>PE pipe</p> | <p>Update acceptance requirements for the following products in the category:</p> <p>Manufacturer/Supplier: Iplex Trade Name: POLIplex Manufacturer/Supplier: Vinidex Trade Name: Sewertech Manufacturer/Supplier: David Moss Corporation Trade Name: DAMOS Manufacturer/Supplier: Poly Pipe Trade Name: SewerFlex Manufacturer/Supplier: Clover Trade Name: Clover/Rohr Redland City Council Acceptance Requirements: Accepted for use</p> <p>Update acceptance requirements for all other products in the category: Redland City Council Acceptance Requirements: Considered on case by case basis</p> |
| <p>PE pipe - High Stress Crack Resistant (HSCR) Polyethylene Pipe</p> | <p>Update acceptance requirements for existing products in the category: Redland City Council Acceptance Requirements: Considered on case by case basis</p> <p>Update acceptance requirements for the following product in the category: Manufacturer/Supplier: David Moss Corporation Trade Name: DAMOS Unity Water Acceptance Requirements: Accepted for use.</p> <p>New product in the category: Manufacturer/Supplier: Enviropipes Trade Name: Enviropipes Size Range: DN20-DN1200 Logan City Council Acceptance Requirements: Considered on case by case basis All other utilities Acceptance requirements: Acceptance yet to be determined</p> <p>New product in the category: Manufacturer/Supplier: Vinidex Size Rang: Up to DN1200 Logan City Council Acceptance Requirements: Considered on case by case basis Unity Water Acceptance Requirements: Accepted for use. All other utilities Acceptance requirements: Acceptance yet to be determined</p> |
| <p>PE fittings - Moulded - High Stress Crack Resistant (HSCR)</p> | <p>New product in the category Manufacturer/Supplier: David Moss Corporation Trade Name: DAMOS</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|--|
| Polyethylene | Logan City Council Acceptance Requirements: Considered on case by case basis All other utilities Acceptance requirements: Acceptance yet to be determined |
| PE fittings- Fabricated | Update acceptance requirements for the following product in the category: Manufacturer/Supplier: Enviropipes Pty Ltd Trade Name: Enviropipes Pty Ltd Logan City Council Acceptance Requirements: Considered on case by case basis |
| PE Flex Restraint Fitting (used as puddle flange) | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Full face PE flanges | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Mechanical Restraining Flange for PE Pipe | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Steel pipe | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Steel fittings – bends, tees and reducers | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Stainless Steel Pipe | Update acceptance requirements for the following product: Manufacturer/Supplier: ASSDA accredited fabricators Trade Name: N/A Logan City Council Acceptance Requirements: Considered on case by case basis |
| Resilient seated gate valves, thermal bonded polymeric coating | Update to include in the Size Range for the following product: Manufacturer/Supplier: Reece Trade Name: DIMAX Size Range: DN450 – DN600 (FI_FI with bypass) DN100 – DN150 (FI-Soc) Update Acceptance Requirements for all products in the category (except Karon / Challenger): Logan City Council Acceptance Requirements: FI – Soc valves are not accepted |
| Valve extension spindles | Update acceptance requirements for the following product: Manufacturer/Supplier: Challenger Trade Name: Logan City Council Acceptance Requirements: Acceptance yet to be determined Update acceptance requirements for the following product: Manufacturer/Supplier: ANT Infrastructure Technologies Trade Name: ANT Logan City Council Acceptance Requirements: |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|--|---|
| | Accepted for use |
| Ball Valves | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| CC-GRP (centrifugally cast) pipe and Fittings - Sewer Pipe | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| FW-GRP (filament wound) pipe and Fittings - Sewer Pipe | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Non-return valves – Ball type | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP |
| Category: Sewerage Miscellaneous Items | |
| Maintenance hole lightweight polymeric lids and frames (non-corrosive) | Update acceptance requirements for the following product in the category: Manufacturer/Supplier: Prime Composites Trade Name: Logan City Council Acceptance Requirements: Accepted for use |
| Maintenance Shafts Polypropylene | Update the Size Range for the following product: Manufacturer/Supplier: SMS Trade Name: N/A Size Range: DN300 x DN100-150, DN375 (300 riser) x DN225 DN300 Terminal MS |
| Plastic Maintenance Holes | Update acceptance requirements for the following product: Manufacturer/Supplier: Smartstream Trade Name: Smart Pit Logan City Council Acceptance Requirements: Acceptance yet to be determined. Update acceptance requirements for the following product: Manufacturer/Supplier: Rehau Trade Name: AWASHAFT City of Gold Coast Acceptance Requirements: Max. depth 6.0 meters to invert of sewer pipe. Not to be used in water charged areas. |
| Vent poles | Update acceptance requirements for the following product: Manufacturer/Supplier: McBerns Trade Name: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Valve pit access cover and frame | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Valve pit lightweight polymeric lids and frames (non-corrosive) | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|---|
| Non-return valves - free acting (without counterweight) Swing Check | Update acceptance requirements for the following: Manufacturer/Supplier: AVFI Pty Ltd Trade Name: AVFI – RSFC Size Range: DN80-DN600 Logan City Council Acceptance Requirements: Considered on case by case basis |
| Hydrophilic Seal | Update acceptance requirements for the following: Manufacturer/Supplier: N/A Trade Name: KuniSeal C-31 DS Logan City Council Acceptance Requirements: Acceptance yet to be determined |
| Casing Spacers | Update acceptance requirements for the following: Manufacturer/Supplier: kwik-Zip Trade Name: HDXT Series Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP |
| Kerb Markers | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Accepted for use |
| Protective internal coating - other coating types | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis (minimum 2.0 mm thickness) Only cementitious or epoxy mortars to be used on existing concrete structures. (Mortar coating minimum 25mm thick) |
| Protective external coating | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis (minimum 2.0 mm thickness) Refer Item 3 in Column C |
| Pre-cast concrete packaged sewage pumping stations | Update acceptance requirements for all products in the category: Logan City Council Acceptance Requirements: Considered on case by case basis |
| Category: Water Supply Pipes – Pressure | |
| PVC-M pipe | Fix up typo in Specified Requirements / Minimum Class Rieber ring accepted Update size ranges for the following: Manufacturer/Supplier: Iplex/Vinidex/Viadux Trade Name: RHINO/Hydro/Plaspipe Size Range : DN100 to DN450 (not 225) Manufacturer/Supplier: Micron Pipelines Trade Name: Micron Pipelines Size Range : DN100 to DN300 (not 225) Manufacturer/Supplier: Pipemakers Trade Name: Pipemakers Enviromain Size Range : DN100 to DN300 (not 225) |
| PVC-O pipe | Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: NOT ACCEPTED BY SP |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|--|--|
| | <p>Unitywater Acceptance Requirements: DN225 FOR SP USE ONLY</p> <p>Update size ranges for the following:</p> <p>Manufacturer/Supplier: Iplex Trade Name: Apollo Blue Size Range : DN100 to DN300 (not 225)</p> <p>Manufacturer/Supplier: Micron Pipelines Trade Name: Micron Pipelines Size Range : DN100 to DN375 (not 225)</p> <p>Manufacturer/Supplier: Pipemakers Trade Name: Alphamain/ TOM© Size Range: DN100 to DN375 (not 225)</p> |
| DI Pipe | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Jindal SAW / Iplex Trade Name: Jindal SAW Logan City Council Acceptance requirements Considered on case by case basis</p> <p>Update WSA Product Specification to the following: 4.1 - All Pressure Classes - see Column G 4.2 - As per SP's requirements – see Column H-L</p> |
| DI Pipe - ISO | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: VonRoll / Reece Trade Name: Ducpur / Ecopur Redland City Council Acceptance requirements: NOT ACCEPTED BY SP Logan City Council Acceptance requirements: Considered on case by case basis</p> |
| Small DN Ductile Iron Water Main pipe at PE OD's | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Saint-Gobain PAM Trade Name: BLUTOP Redland City Council and Logan City Council Acceptance requirements: Considered on case by case basis</p> |
| PE pipe | <p>Update acceptance requirements for the following products in the category:</p> <p>Manufacturer / Supplier name: Comerford Trade Name: Identi-pipe</p> <p>Manufacturer / Supplier name: Enviropies Trade Name: Enviropressure</p> <p>Manufacturer / Supplier name: ACP Trade Name: ACP</p> <p>Manufacturer / Supplier name: Pipemakers Trade Name: Pipemakers</p> <p>Manufacturer / Supplier name: Acu-Tech Trade Name: Acu-Tech</p> <p>Manufacturer / Supplier name: ASA Trade Name: Blueline</p> <p>Redland City Council Acceptance requirements: Considered on case by case basis</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|--|--|
| | <p>Update acceptance requirements for all other products in the category: Redland City Council Acceptance requirements: Accepted for use</p> |
| PE pipe - High Stress Crack Resistant (HSCR) Polyethylene Pipe | <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: Considered on case by case basis</p> <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: David Moss Corporation Trade Name: DAMOS Unity Water Acceptance requirements: Accepted for use</p> <p>New products in the category Manufacturer/Supplier: Enviropipes Trade Name: Enviropipes Manufacturer/Supplier: Vinidex Size Range: Up to DN1200 Logan City Council Acceptance Requirements: Considered on case by case basis</p> <p>Manufacturer/Supplier: Vinidex Size Range: Up to DN1200 Unity Water Acceptance requirements: Accepted for use</p> <p>All other utilities Acceptance requirements: Acceptance yet to be determined</p> |
| CC-GRP (centrifugally cast) pipe and Fittings - Water main | <p>Update acceptance requirements for all products in the category: Redland City Council and Logan City Council Acceptance requirements: Considered on case by case basis DI Fittings preferred</p> |
| FW-GRP (filament wound) pipe and Fittings - Water main | <p>Update acceptance requirements for all products in the category: Redland City Council and Logan City Council Acceptance requirements: Considered on case by case basis DI Fittings preferred</p> |
| Stainless Steel Pipe | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: ASSDA accredited fabricators Trade Name: N/A Size Range: DN20 - DN750 Logan City Council Acceptance requirements: Considered on case by case basis</p> <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: Accepted for use</p> |
| Category: Water Supply Fittings – Pressure | |
| Lightweight DI bends, tees/branches & connectors | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Clover Pipelines Trade Name: Clover Redland City Council Acceptance requirements: Accepted for use</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|--|---|
| | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Himgiri Castings / Galvin Engineering / Manufacturer / Supplier name: CivilPipes Trade Name: Ezi-Lift Logan City Council Acceptance requirements: Acceptance yet to be determined</p> <p>Update the WSAA Product Specification 4.2 to the following: 4.2 Min PN16 fittings</p> <p>Update the following trade name to include (Series G2): Manufacturer / Supplier name: Dobbie Dico Trade Name: Dobbie Series G2</p> <p>Update Specified Requirements / Minimum Class with the following: Lightweight fittings – specific brand or word Lightweight or equivalent must be marked on each fitting.</p> <p>New product in the category Manufacturer / Supplier name: Reece Trade Name: DIMAX (Lightweight) Size Range: DN80-DN150 Redland City Council and Unitywater Acceptance Requirements: Acceptance yet to be determined All other utilities Acceptance Requirements: Accepted for use</p> |
| <p>DI bends, tapers, tees/branches, connectors, risers & caps/blank ends</p> | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Reece Trade Name: DIMAX Redland City Council Acceptance requirements: Accepted for use</p> <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Dobbie Dico Trade Name: Dobbie Logan City Council Acceptance requirements: Acceptance yet to be determined</p> <p>Update the WSAA Product Specification 4.2 to the following: 4.2 - PN35 wall thickness for all fittings including PN16 flanged fittings</p> <p>Remove the following product from the category: Manufacturer / Supplier name: Clover Pipelines Trade Name: N/A Size Range: DN100 to DN150</p> <p>Add the following note to Size Range to all products in the category: (not 225)</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|---|
| | <p>Update the Size Range for the following product: Manufacturer / Supplier name: Reece Trade Name: DIMAX Size Range: DN200 to DN300 (not 225) (not DN80 to DN150)</p> <p>Update the following Trade names for the following products: Manufacturer / Supplier name: Crevet / Iplex Trade Name: (not Crevet SL) Manufacturer / Supplier name: Vinidex Trade Name: Superlink (not Superlink II) Manufacturer / Supplier name: Derwent Industries Trade Name: Derwent (plus A or J or M) Manufacturer / Supplier name: Gillies / Hygrade Trade Name: Gillies Manufacturer / Supplier name: Dobie Dico Trade Name: Dobie Series G1 (not Series G2)</p> <p>Update Specified Requirements / Minimum Class to include the following wording: Traditional fittings</p> |
| DI mechanical couplings - Non End Thrust Restraint | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Civil Pipes Trade Name: CPS Uni-Gib Unitywater Acceptance requirements: Accepted for use</p> |
| Stainless steel flexible couplings – Unrestrained | <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: ARPOL INSTAL – Accepted ARPOL REP - SP USE ONLY</p> |
| DI mechanical couplings - End Thrust Restraint (Gripper Type) | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Victaulic Piping Products Trade Name: Victaulic Restrained Couplings Style 905 Logan City Council Acceptance requirements: Acceptance yet to be determined</p> |
| Small DN Ductile Iron Restraint Fittings at PE ODs | <p>Update acceptance requirements for all products in the category: Redland City Council and Logan City Council Acceptance requirements: Considered on case by case basis</p> |
| Flange (DI) off-take clamps for DIOD pipes | <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: SP USE ONLY</p> |
| Flange DI off-take clamps | <p>Update acceptance requirements for all products in the category: Logan City Council Acceptance requirements: Considered on case by case basis Redland City Council Acceptance requirements: SP USE ONLY</p> |
| Resilient Seated Gate Valves, thermal bonded | <p>Update acceptance requirements for the following products in the category: Manufacturer / Supplier name: Interflow Trade Name: Infrastop</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|---|
| <p>polymeric coating.</p> | <p>Redland City Council Acceptance requirements: SP USE ONLY</p> <p>Update to include in the Size Range for the following product: Manufacturer / Supplier name: Reece Trade Name: DIMAX Size Range: DN450 to DN600 (FI-FI with bypass) DN100 to DN150 (FI-SOC)</p> <p>New Size Range for the follow product: Manufacturer / Supplier name: AVK Trade Name: Series 570 (Lead Free) Size Range: DN80 to DN300</p> <p>Update Acceptance Requirements for all products in the category (except Karon / Challenger): Logan City Council Acceptance Requirements: FI – Soc valves are not accepted</p> |
| <p>Ant Barrier devices for Hydrants</p> | <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: SP USE ONLY</p> <p>Update acceptance requirements for the following product: Manufacturer / Supplier name: Hydrant Protection Trade Name: Retroguard Unitywater Acceptance Requirements: Accepted for use</p> |
| <p>Debris and Ant Barrier Device</p> | <p>Update acceptance requirements for all products in the category: Logan City Council Acceptance requirements: Considered on case by case basis Redland City Council Acceptance requirements: SP USE ONLY Unitywater Acceptance Requirements: Accepted for use</p> |
| <p>Hydrant and Air Valve Isolating Valves</p> | <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance requirements: Considered on case by case basis</p> |
| <p>Pretapped connectors</p> | <p>Update acceptance requirements for all products in the category: Redland City Council Acceptance Requirements: NOT ACCEPTED BY SP</p> <p>Change size range for the following product in the category: Manufacturer/Supplier: Viadux/Reece Trade Name: DIMAX MaxiTap Size Range: DN100 to DN300</p> |
| <p>Valve extension spindles</p> | <p>Update acceptance requirements for the following product in the category: Manufacturer/Supplier: Challenger Trade Name: Logan City Council Acceptance Requirements:</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|--|
| | Acceptance yet to be determined |
| Steel fittings – bends, tees and reducers | Update acceptance requirements for all products. Logan City Council Acceptance Requirements: Considered on case by case basis |
| PE mechanical compression fittings for reduced size water mains | Update acceptance requirements for the following products: Manufacturer / Supplier name: Talbot Trade Name: Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP Manufacturer / Supplier name: Hydroflow / SAB S.p.A Trade Name: SAB Black Nut Blueseal Manufacturer / Supplier name: Zetco TOF Trade Name: Logan City Council Acceptance Requirements: Acceptance yet to be determined |
| PE Fittings - Moulded (for mains and large service pipes) | Update acceptance requirements for the following products: Manufacturer / Supplier name: Fox Fittings Sp. / Advanced Piping Manufacturer / Supplier name: Systems Trade Name: Fox Logan City Council Acceptance Requirements: Acceptance yet to be determined Update acceptance requirements for the following products: Manufacturer / Supplier name: David Moss Corporation Trade Name: DAMOS Logan City Council Acceptance Requirements: Accepted where PE pipes are approved to be used for DN63. The use of larger diameters is subject to acceptance by SP |
| PE fittings - Moulded - High Stress Crack Resistant (HSCR) Polyethylene (for mains and large service pipes) | New Products in category: Manufacturer / Supplier name: David Moss Corporation Size Range: DAMOS Logan City Council Acceptance Requirements: Accepted where PE pipes are approved to be used All other utilities Acceptance Requirements: Acceptance yet to be determined |
| PE fittings - Fabricated | New Products in category: Manufacturer / Supplier name: Enviropipes Pty Ltd Trade Name: Enviropipes Pty Ltd Size Range: DN20 to DN1200 Logan City Council Acceptance Requirements: Considered on case by case basis All other utilities Acceptance Requirements: Acceptance yet to be determined |
| Full face PE flanges (for reticulation sizes) | Update acceptance requirements for the following products: Manufacturer / Supplier name: Simona / Plasson Trade Name: Simona Manufacturer / Supplier name: Plasson and Iplex Manufacturer / Supplier name: Friatec / Vinidex |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|---|--|
| | <p>Trade Name: Frialen Manufacturer / Supplier name: Fusion Group / FusionPlast Trade Name: Fusamatic Logan City Council Acceptance Requirements: Accepted where PE pipes are approved to be used for DN63. The use of larger diameters is considered on a case by case basis</p> <p>Update acceptance requirements for the following products: Manufacturer / Supplier name: David Moss Corporation Trade Name: DAMOS Manufacturer / Supplier name: Rodney / Vinidex Trade Name: Maxi Stub Logan City Council Acceptance Requirements: Considered on case by case basis</p> |
| Non-return valves - Swing check with counterweight lever arm | <p>Update acceptance requirements for the following products: Manufacturer / Supplier name: HMA Valveco Trade Name: Valmatic Swing-flex Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP</p> |
| Non-return valves - free acting (without counterweight) Swing Check | <p>Update acceptance requirements for products in the category with the exception of: Manufacturer / Supplier name: HMA Valveco Trade Name: Valmatic Swing-flex Logan City Council Acceptance Requirements: Considered on case by case basis</p> |
| Mechanical Restraining Flange for PE Pipe | <p>Update acceptance requirements for products in the category Logan City Council Acceptance Requirements: Considered on case by case basis</p> |
| Dismantling joints for Flange Pipe and Fittings | <p>Update acceptance requirements for the following products: Manufacturer / Supplier name: Valveco Trade Name: Uni-Flange Adaptor Manufacturer / Supplier name: Hygrade Water Trade Name: Pipemate Logan City Council Acceptance Requirements: Acceptance yet to be determined</p> |
| Category: Water Services | |
| Ferrules - TPFNR Bonnet Ferrule Cocks | <p>Update WSAAs Product Specification No. and acceptance requirements as follows: 288 4.1 - PN16 4.2 - DN50 to include a 90 degree bend with union connection to AS3688 at outlet. 4.3 - Male thread and PE compression joint. 4.4 - Male thread and PE compression joint, or Copper compression joint, or capillary joint</p> <p>Logan City Council Acceptance Requirements: Only DN20 and 25 accepted</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

| | |
|--|--|
| <p>Meter boxes – Class A</p> | <p>New Products in category: Manufacturer / Supplier name: Everhard Industries Size Range: 429L x 271W x 220D Logan City Council Acceptance Requirements: SP USE ONLY All other utilities Acceptance Requirements: Acceptance yet to be determined</p> |
| <p>Ball valves - Water Service</p> | <p>Update acceptance requirements for the following products: Manufacturer / Supplier name: Strongcast Trade Name: Strongcast Logan City Council Acceptance Requirements: Accepted for use with following notes: F/F Ball valves with BSP thread only accepted Accepted for DN20 and DN25 at meter end of services. Ball valves must be lockable in both on and off position.</p> <p>Update acceptance requirements for all products in the category EXCEPT the following product: Manufacturer / Supplier name: Flocontrol Trade Name: Arita Unitywater Acceptance Requirements: Ball valves must be capable of being locked by the customer with their own padlock AND have minimum 50mm long handles</p> |
| <p>Automatic Meter Reading (AMR) Systems (sub-metering applications)</p> | <p>Update acceptance requirements for the following products: Manufacturer / Supplier name: Enware Trade Name: Enware Unitywater Acceptance Requirements: NOT ACCEPTED BY SP</p> <p>New product in the category: Manufacturer / Supplier name: Strongcast: (Wired/Wireless) Trade Name: Strongcast: (Wired/Wireless) Unitywater Acceptance Requirements: Accepted for use All other utilities Acceptance Requirements: Acceptance yet to be determined</p> |

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

SEQ Accepted Mechanical IPAM List

| Products | Change |
|---|---|
| PUMPS | |
| Submersible Sewage Pump Station/ Lift Station Pumps | Update acceptance requirements for the following products: Manufacturer/ Supplier: KSB Australia Pty Ltd Manufacturer/ Supplier: Hidrostal Australia Pty Ltd City of Gold Coast Council Acceptance Requirements: Considered on case by case basis |
| Submersible sewage pump with grinder | Update acceptance requirements for the following products: Manufacturer/ Supplier: Xylem Water Solutions Ltd Trade Name: Flygt Manufacturer/ Supplier: KSB Australia Pty Ltd Trade Name: KSB Logan City Council Acceptance Requirements: Considered on case by case basis |