

SEQ Water Supply and Sewerage Design & Construction Code

SEQ Accepted Infrastructure Products and Materials

SCHEDULE OF AMENDMENTS

Amendment No. 28 – November 2023



Schedule of Amendments to SEQ Accepted IPAM Lists (Changes from July 2023 to November 2023 Version)

SEQ Accepted Civil IPAM List	
Manufacturer Name Change	
Update all references to the following Manufacturer / Supplier:	
Previous names:	HMA Flow & Industrial – Valveco HMA Valveco HMA Group Valveco
New name:	HMA Flow & Industrial
Products	Change
Category: SEWERAGE PIPES AND FITTINGS – NON PRESSURE	
PE Fittings - Fabricated	New Product in the Category: Manufacturer / Supplier: Advanced Piping Systems / Plastitalia S.p.A Trade Name: N/A Size Range: Up to DN900 City of Gold Coast Acceptance Requirements: NOT ACCEPTED BY SP Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP Unitywater Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined
PVC-U Heavy Duty Maintenance Hole Inspection Bends	Remove Product from Category: Manufacturer / Supplier: Plastec Trade Name: Plastec
CC-GRP (Centrifugally Cast) Pipe And Fittings - Sewer Pipe	Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Acceptance yet to be determined
FW-GRP (Filament Wound) Pipe And Fittings - Sewer Pipe	Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Acceptance yet to be determined
CC-GRP (Centrifugally Cast) Pipe And Fittings - Jacking Pipe	Update Manufacturer / Supplier name for the following Product: Previous Name: Empire Infrastructure New Name: DFHB / Empire Infrastructure Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Hobas / Global Pipe Trade Name: Hobas Manufacturer / Supplier: Superlift / Clover Pipelines Trade Name: Superlift City of Gold Coast Acceptance Requirements: Acceptance yet to be determined Update Acceptance Requirements for the following Product: Manufacturer / Supplier: DFHB / Empire Infrastructure

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Trade Name: BOSSPIPE</p> <p>City of Gold Coast Acceptance Requirements: Considered on case by case basis</p>
FW-GRP (Filament Wound) Pipe And Fittings - Jacking Pipe	<p>Update Manufacturer / Supplier name for the following Product:</p> <p>Previous Name: Empire Infrastructure / Future Pipe Industries</p> <p>New Name: Future Pipe Industries / Empire Infrastructure</p> <p>Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Considered on case by case basis</p>
Non-Return Valves	<p>Update Acceptance Requirements for the following Product:</p> <p>Manufacturer / Supplier: Fernco</p> <p>Trade Name: HDPE FlapValve</p> <p>Redland City Council Acceptance Requirements: Accepted for use</p>
Category: SEWERAGE PIPES AND FITTINGS – PRESSURE	
DI Fittings - Bends, Tapers, Tees/Branches, Connectors, Risers & Caps/Blank Ends	<p>Update Trade Name for the following Product:</p> <p>Manufacturer / Supplier: Viadux</p> <p>Previous Trade Name: Tyton Joint & Sureflow</p> <p>New Trade Name: Tyton Joint & Sureflow (not Light)</p> <p>New Product in the Category:</p> <p>Manufacturer / Supplier: AVK</p> <p>Trade Name: Series 718 (Not Light)</p> <p>Size Range: DN80 to 750</p> <p>City of Gold Coast Acceptance Requirements: Accepted for use</p> <p>Logan City Council Acceptance Requirements: Accepted for use</p> <p>All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Size Range for the following Products:</p> <p>Manufacturer / Supplier: Viadux</p> <p>Trade Names: Tyton Joint & Sureflow (not Light)</p> <p>Size Range: DN80 to DN750</p> <p>Manufacturer / Supplier: Crevet / Iplex</p> <p>Trade Names: Crevet (not Crevet SL)</p> <p>Size Range: DN80 to DN750</p> <p>Manufacturer / Supplier: Vinidex</p> <p>Trade Names: Superlink (not Superlink II)</p> <p>Size Range: DN300 to DN750 (not DN80 to DN250)</p> <p>Manufacturer / Supplier: Derwent</p> <p>Trade Names: Derwent (plus A or J or M)</p> <p>Size Range: DN200 to DN750 (not DN80 to DN150)</p> <p>Update Specified Requirements / Minimum Class for all Products in the</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Category: Traditional fittings DN225 not accepted Thermal bonded polymeric coating is the standard material in WSA PS 201 and WSA PS212. All DI fittings to be wrapped</p>
<p>DI Mechanical Couplings - Non End Thrust Restraint</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Hawle / Hygrade Water Trade Name: System 2000 Unitywater Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: AVK Trade Name: Supa Plus Restraint Unitywater Acceptance Requirements: AVK SupaPlus restrained couplings are subject to acceptance in Acid Sulphate Soils and Saline coastal environmental locations. The use of gripper type fittings on AC, DI and SCL pipe is subject to acceptance by SP</p>
<p>DI Mechanical Fittings – End Thrust Restraint (Gripper Type)</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Hawle / Hygrade Water Trade Name: System 2000 Unitywater Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: AVK Trade Name: Supa Plus Restraint Unitywater Acceptance Requirements: AVK SupaPlus restrained couplings are subject to acceptance in Acid Sulphate Soils and Saline coastal environmental locations. The use of gripper type fittings on AC, DI and SCL pipe is subject to acceptance by SP</p>
<p>PE Pipe</p>	<p>Update Size Range for the following Products:</p> <p>Manufacturer / Supplier: Iplex Trade Names: POLIplex Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800</p> <p>Manufacturer / Supplier: Vinidex Trade Names: Sewertech Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: David Moss Corporation Trade Names: DAMOS Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: PolyPipe Trade Names: SewerFlex Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355,</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>450, 560, 630, 800</p> <p>Manufacturer / Supplier: Enviropipes Trade Names: Enviropressure Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200, 1400, 1600, 1800, 2000</p> <p>Manufacturer / Supplier: Cromford Trade Names: Identipipe Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450</p> <p>Update Acceptance Requirements for the following Products:</p> <p>Manufacturer / Supplier: ACP Trade Name: ACP</p> <p>Manufacturer / Supplier: Agru Trade Name: N/A</p> <p>Manufacturer / Supplier: Pipemakers Trade Name: Pipemakers</p> <p>Manufacturer / Supplier: Clover Trade Name: Clover / Rohr</p> <p>Manufacturer / Supplier: Acu-Tech Trade Name: Acu-Tech</p> <p>Unitywater Acceptance Requirements: PE is preferred pipe material Pressure Sewer/ Rising main pipes shall be black with cream stripes Vacuum Sewer pipes shall be solid cream (co-extruded with the pipe)</p>
<p>PE Pipe - High Stress Crack Resistant (HSCR) Polyethylene Pipe</p>	<p>Update Size Range for the following Products:</p> <p>Manufacturer / Supplier: David Moss Corporation Trade Names: DAMOS Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: Vinidex Trade Names: HSCR PE PIPE Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: Enviropipes Trade Names: Enviropipes Size Range: DN40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200, 1400, 1600, 1800, 2000</p> <p>Update Acceptance Requirements for the following Product:</p> <p>Manufacturer / Supplier: Vinidex Trade Name: HSCR PE PIPE City of Gold Coast Acceptance Requirements: Accepted for use</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

<p>PE Fittings - Moulded - High Stress Crack Resistant (HSCR) Polyethylene</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS City of Gold Coast Acceptance Requirements: Spigot fittings only accepted</p>
<p>PE Fittings - Moulded</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS City of Gold Coast Acceptance Requirements: Spigot fittings only accepted</p>
<p>Full Face PE Flanges</p>	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Simona / Plasson Trade Name: Simona Manufacturer / Supplier: Plasson Trade Name: N/A Manufacturer / Supplier: Iplex Trade Name: N/A Manufacturer / Supplier: Friatec / Vinidex Trade Name: Frialen Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS Manufacturer / Supplier: Rodney / Vinidex Trade Name: Maxi Stub City of Gold Coast Acceptance Requirements: Corresponding full bore flange sizes for PE pipe up to DN355 shall be as per Clause 4.5 of the Water Supply Code</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Fusion Group / FusionPlast Trade Name: Fusamatic City of Gold Coast Acceptance Requirements: DN90 slotted flange is not accepted. Corresponding full bore flange sizes for PE pipe up to DN355 shall be as per Clause 4.5 of the Water Supply Code</p>
<p>Resilient Seated Gate Valves, Thermal Bonded Polymeric Coating</p>	<p>New Product in the Category: Manufacturer / Supplier: AVK Trade Name: Series 570 (Lead Free) Size Range: DN80 to 300 All SEQ-SP Acceptance Requirements: In accordance with Acceptance Requirements for existing AVK Products in the Category.</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS City of Gold Coast Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for all Products in the Category EXCEPT</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>the following:</p> <p>Manufacturer / Supplier: Karon / Challenger</p> <p>Trade Names: Karon Karon (FL-FL light weight design) Karon (FL-FL integral bypass valves)</p> <p>Logan City Council Acceptance Requirements: FI - Soc valves are not accepted FL-FL integral bypass valves are considered on case by case basis</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Hawle Trade Name: E2 E2 System 2000</p> <p>Unitywater Acceptance Requirements: Accepted for use</p>
<p>CC-GRP (Centrifugally Cast) Pipe And Fittings - Sewer Pipe</p>	<p>Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Acceptance yet to be determined</p>
<p>FW-GRP (Filament Wound) Pipe And Fittings - Sewer Pipe</p>	<p>Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Acceptance yet to be determined</p>
<p>Flowmeter – Network Meter</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Emerson Trade Name: Emerson City of Gold Coast Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: ABB Trade Name: ABB City of Gold Coast Acceptance Requirements: Considered on case by case basis</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

Category: SEWERAGE MISCELLANEOUS ITEMS

Casing Spacers	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: kwik-ZIP Trade Name: HDXT Series City of Gold Coast Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: kwik-ZIP Trade Name: HD Series Logan City Council Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: kwik-ZIP Trade Name: HDX Series Redland City Council Acceptance Requirements: Considered on case by case basis</p>
----------------	--

Category: WATER SUPPLY PIPES – PRESSURE

PE Pipe	<p>Update Size Range for the following Products: Manufacturer / Supplier: Vinidex Trade Names: N/A Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: David Moss Corporation Trade Names: DAMOS Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: Cromford Trade Names: Identi-pipe Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450</p> <p>Manufacturer / Supplier: Enviropipes Trade Names: Enviropressure Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200, 1400, 1600, 1800, 2000</p>
PE Pipe - High Stress Crack Resistant (HSCR) Polyethylene Pipe	<p>Update Size Range for the following Products: Manufacturer / Supplier: David Moss Corporation Trade Names: DAMOS Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200</p> <p>Manufacturer / Supplier: Vinidex Trade Names: N/A Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000,</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>1200</p> <p>Manufacturer / Supplier: Enviropipes Trade Names: Enviropipes Size Range: DN25, 32, 40, 50, 63, 90, 125, 180, 250, 315, 355, 450, 560, 630, 800, 900, 1000, 1200, 1400, 1600, 1800, 2000</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Vinidex Trade Name: N/A City of Gold Coast Acceptance Requirements: 1 - Used as Water Service pipe at DN25 and larger 2 - Used as Drinking Water main at DN63 and DN110 in Dual Water Supply 3 - Used as A+ Non Drinking Water main for Cul-de-sac terminal end at DN63 in Dual Water Supply 4 - Used as Drinking Water main for Cul-de-sac terminal end at DN63 in traditional Drinking Water Reticulation</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Enviropipes Trade Name: Enviropipes Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>CC-GRP (Centrifugally Cast) Pipe And Fittings - Water Main</p>	<p>Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Acceptance yet to be determined DI Fittings preferred</p>
<p>FW-GRP (Filament Wound) Pipe And Fittings - Water Main</p>	<p>Update Acceptance Requirements for all Products in the Category: City of Gold Coast Acceptance Requirements: Acceptance yet to be determined DI Fittings preferred</p>
<p>Category: WATER SUPPLY FITTINGS – PRESSURE</p>	
<p>Lightweight DI Bends, Tees/Branches & Connectors</p>	<p>Update Service Provider Specified Requirements: 4.2 - Thinner wall Min PN16 fittings</p> <p>Update Trade Name for the following Product: Manufacturer / Supplier: Viadux Previous Trade Name: Auslite New Trade Name: Auslite and Sureflow (Light)</p> <p>Update Size Range for the following Product: Manufacturer / Supplier: Vinidex Trade Names: Auslite and Sureflow (Light) Size Range: DN80 & DN150</p> <p>New Products in the Category: Manufacturer / Supplier: Gillies / Hygrade Trade Name: Gillies CL or Gillies LW Size Range: DN80 to DN150</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Manufacturer / Supplier: Derwent Trade Name: Derwent (plus A or J or M) Size Range: DN80 to DN150 City of Gold Coast Acceptance Requirements: Accepted for use Logan City Council Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>New Product in the Category: Manufacturer / Supplier: AVK Trade Name: Series 718 (Light) Size Range: DN80 to DN150 City of Gold Coast Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Himgiri Castings / Galvin Engineering / CivilPipes Trade Name: Ezi-Lift Manufacturer / Supplier: Reece Trade Name: DIMAX (Lightweight) Size Range: DN80-DN150 City of Gold Coast Acceptance Requirements: Accepted for use Redland City Council Acceptance Requirements: Accepted for use</p>
<p>DI Bends, Tapers, Tees/Branches, Connectors, Risers & Caps/Blank Ends</p>	<p>Update Trade Name for the following Product: Manufacturer / Supplier: Viadux Previous Trade Name: Tyton Joint & Sureflow New Trade Name: Tyton Joint & Sureflow (not Light)</p> <p>New Product in the Category: Manufacturer / Supplier: AVK Trade Name: Series 718 (Not Light) Size Range: DN80 to 750 City of Gold Coast Acceptance Requirements: Accepted for use Logan City Council Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Size Range for the following Products: Manufacturer / Supplier: Viadux Trade Names: Tyton Joint & Sureflow (not Light)</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Size Range: DN80 to DN750 Manufacturer / Supplier: Crevet / Iplex Trade Names: Crevet (not Crevet SL) Size Range: DN80 to DN750 Manufacturer / Supplier: Vinidex Trade Names: Superlink (not Superlink II) Size Range: DN300 to DN750 (not DN80 to DN250) Manufacturer / Supplier: Derwent Industries Trade Names: Derwent (plus A or J or M) Size Range: DN200 to DN750 (not DN80 to DN150) Manufacturer / Supplier: Gillies / Hygrade Trade Names: Gillies Size Range: DN80 to DN750</p> <p>Update Specified Requirements / Minimum Class for all Products in the Category: Traditional fittings DN225 not accepted Thermal bonded polymeric coating is the standard material in WSA PS 201 and WSA PS212. All DI fittings to be wrapped</p>
<p>316 SS Repair Clamps, Flanged Off-Take Clamps & BSP Tapping Clamps</p>	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Derwent Trade Name: N/A Manufacturer / Supplier: Cascade Control Trade Name: Rapid Clamps CT2 tapping saddles Unitywater Acceptance Requirements: Type R accepted only In acid sulphate soils the clamp must be Denso wrapped</p>
<p>Resilient Seated Gate Valves, Thermal Bonded Polymeric Coating.</p>	<p>New Product in the Category: Manufacturer / Supplier: AVK Trade Name: Series 570 (Lead Free) Size Range: DN80 to DN300 (FI-FI & Soc-Soc) City of Gold Coast Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Acceptance Requirements for all Products in the Category EXCEPT the following: Manufacturer / Supplier: Karon / Challenger Trade Names: Karon Karon (FL-FL light weight design) Karon (FL-FL integral bypass valves)</p> <p>Logan City Council Acceptance Requirements: FI - Soc valves are not accepted FL-FL integral bypass valves are considered on case by case basis</p> <p>Update Acceptance Requirements for the following Product:</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Manufacturer / Supplier: Hawle / Hygrade Water Trade Name: E2 E2 System 2000</p> <p>Unitywater Acceptance Requirements: Accepted for use</p> <p>Update Size Range for the following Product: Manufacturer / Supplier: AVK Trade Names: Series 570 (Lead Free) Size Range: DN80 to DN300 (FI-FI & Soc-Soc)</p>
Steel Fittings – Bends, Tees And Reducers	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
PE Mechanical Compression Fittings For Reduced Size Water Mains	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
PE Fittings - Moulded (For Mains And Large Service Pipes)	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS City of Gold Coast Acceptance Requirements: Spigot fittings only accepted. Accepted where PE pipes are approved to be used.</p>
PE Fittings - Moulded - High Stress Crack Resistant (HSCR) Polyethylene (For Mains And Large Service Pipes)	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS City of Gold Coast Acceptance Requirements: Spigot fittings only accepted. Accepted where PE pipes are approved to be used.</p> <p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
PE Fittings - Fabricated	<p>Update Acceptance Requirements for all Products in the Category: Logan City Council Acceptance Requirements: Considered on case by case basis Redland City Council Acceptance Requirements: Considered on case by case basis</p>
Full Face PE Flanges (For Reticulation Sizes)	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Simona / Plasson Trade Name: Simona Manufacturer / Supplier: Plasson Trade Name: N/A Manufacturer / Supplier: Iplex Trade Name: N/A Manufacturer / Supplier: Friatec / Vinidex Trade Name: Frialen Manufacturer / Supplier: David Moss Corporation Trade Name: DAMOS</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Manufacturer / Supplier: Rodney / Vinidex Trade Name: Maxi Stub City of Gold Coast Acceptance Requirements: Accepted where PE pipes are approved to be used Corresponding full bore flange sizes for PE pipe up to DN355 shall be as per Clause 4.5 of the Water Supply Code</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Fusion Group / FusionPlast Trade Name: Fusamatic City of Gold Coast Acceptance Requirements: Accepted where PE pipes are approved to be used Only DN125 to DN355 accepted Corresponding full bore flange sizes for PE pipe up to DN355 shall be as per Clause 4.5 of the Water Supply Code</p> <p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
Air Valves	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis DN40 and DN50 BSP threaded to have Brass base.</p>
Non-Return Valves - Swing Check With Counterweight Lever Arm	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: NOT ACCEPTED BY SP</p>
Non-Return Valves - Free Acting (Without Counterweight) Swing Check	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
Pressure Reducing Valves	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Bermad Water Technologies Trade Name: Bermad Manufacturer / Supplier: Plasson Australia Pty Ltd Trade Name: Plasson C-Valve Manufacturer / Supplier: Dorot Australia Pty Ltd Trade Name: Dorot 300 Series Redland City Council Acceptance Requirements: Considered on case by case basis</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Singer / HMA Flow & Industrial Trade Name: Singer Manufacturer / Supplier: Cla-Val Pacific / Challenger Trade Name: Cla-Val Redland City Council Acceptance Requirements: Accepted for use</p>

<p>Pressure Sustaining Valves And Altitude Valves</p>	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>Mechanical Restraining Flange For PE Pipe</p>	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>Dismantling Joints For Flange Pipe And Fittings</p>	<p>Update Trade Name for the following Product: Manufacturer / Supplier: IPLEX Previous Trade Name: Crevit New Trade Name: Crevet</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: IPLEX Trade Name: Crevet Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>Flowmeter – Network Meter</p>	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Emerson Trade Name: Emerson Manufacturer / Supplier: Krohne Trade Name: Krohne Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>Butterfly Valves</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Reece Trade Name: Dura Redland City Council Acceptance Requirements: Considered on case by case basis Direction of closing: Anti-clockwise</p> <p>Update Acceptance Requirements for all Products in the Category EXCEPT the following: Manufacturer / Supplier: Reece Trade Names: Dura Unitywater Acceptance Requirements: Direction of closing: Anti-clockwise for valves with gearbox operator. Clockwise for valves with lever operator. Wafer or Lugged valves not accepted without prior approval</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: Reece Trade Name: Dura Unitywater Acceptance Requirements: Direction of closing: Anti-clockwise for valves with gearbox operator. Clockwise for valves with lever operator. Wafer or Lugged valves not accepted without prior approval SP use only</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

Category: WATER SERVICES	
Tapping Saddle For PE - Electrofusion	Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: NOT ACCEPTED BY SP
Tapping Saddle For PE – Electrofusion – High Stress Crack Resistant (HSCR)	Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: NOT ACCEPTED BY SP
Ferrules - TPFNR Bonnet Ferrule Cocks	Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Strongcast Trade Name: TPFNR Tapping Valve Manufacturer / Supplier: Wenac Trade Name: N/A Redland City Council Acceptance Requirements: Considered on case by case basis
Ball Valves – Water Service	<p>New Product in the Category: Manufacturer / Supplier: Zetco Trade Name: 4406 Series Size Range: DN25, DN32, DN40 & DN50 Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP Unitywater Acceptance Requirements: Ball valves must be capable of being locked by the customer with their own padlock AND have minimum 50mm long handles All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Trade Name for the following Product: Manufacturer / Supplier: Elson Previous Trade Name: Elson New Trade Name: Elson (Lead-free)</p> <p>Update Size Range for the following Products: Manufacturer / Supplier: All Valve Trade Names: Airaga Manufacturer / Supplier: Elson Trade Names: Elson (Lead-free) Size Range: DN20</p> <p>Update Service Provider Specified Requirements: Copper alloy shall be dezincification resistant material and comply with AS/NZS 3688</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Elson Trade Name: Elson (Lead-free) City of Gold Coast Acceptance Requirements: M/F thread joints only accepted</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>Update Acceptance Requirements for the following Products:</p> <p>Manufacturer / Supplier: All Valve Trade Name: Airaga</p> <p>Manufacturer / Supplier: Elson Trade Name: Elson</p> <p>Manufacturer / Supplier: Gatic / Milne Trade Name: N/A</p> <p>Manufacturer / Supplier: Elster Trade Name: N/A</p> <p>Manufacturer / Supplier: RMC Trade Name: N/A</p> <p>Manufacturer / Supplier: Zetco TOF Trade Name: N/A</p> <p>Manufacturer / Supplier: Strongcast Trade Name: Strongcast</p> <p>Manufacturer / Supplier: Austworld Trade Name: LOGI VALVE</p> <p>Manufacturer / Supplier: Galvin Engineering Trade Name: Galvin Engineering</p> <p>Manufacturer / Supplier: Austworld Trade Name: LOGI VALVE</p> <p>Unitywater Acceptance Requirements: Ball valves must be capable of being locked by the customer with their own padlocks AND have minimum 50mm long handles</p>
<p>PE Mechanical Compression Fittings For Small Diameter Water Service Pipes</p>	<p>Update Acceptance Requirements for the following Products:</p> <p>Manufacturer / Supplier: Talbot Trade Name: N/A</p> <p>Manufacturer / Supplier: Alprene Trade Name: N/A</p> <p>Manufacturer / Supplier: Hydroflow / SAB S.p.A Trade Name: SAB Black Nut Blueseal</p> <p>Manufacturer / Supplier: Iplex Trade Name: N/A</p> <p>Manufacturer / Supplier: Viadux Trade Name: N/A</p> <p>Manufacturer / Supplier: NUPIGECO Trade Name: Elopress</p> <p>Manufacturer / Supplier: Austworld Trade Name: LOGI CIVIL</p> <p>City of Gold Coast Acceptance Requirements: Use is subject to acceptance by SP</p>
<p>Flowmeters 50 mm And Larger</p>	<p>Update Product Name: Previous Product Name: Flowmeters New Product Name: Flowmeters 50 mm And Larger</p> <p>New Products in the Category: Manufacturer / Supplier: Sensus Trade Name: Cordonell</p> <p>Logan City Council Acceptance Requirements:</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

	<p>NOT ACCEPTED BY SP</p> <p>Unitywater Acceptance Requirements: Accepted for use</p> <p>All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Arad Ultrasonica / RMC Trade Name: Octave Manufacturer / Supplier: Emerson Trade Name: Emerson</p> <p>Redland City Council Acceptance Requirements: Considered on case by case basis</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Arad Ultrasonica / RMC Trade Name: Octave</p> <p>Unitywater Acceptance Requirements: Accepted for use</p>
<p>Meter Boxes – Class A</p>	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Everhard Industries Trade Name: N/A</p> <p>Redland City Council Acceptance Requirements: Blue Lid not permitted Considered on case by case basis</p>
<p>Category: WATER SUPPLY MISCELLANEOUS ITEMS</p>	
<p>Security Fencing</p>	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Bluedog Fencing Trade Name: Securatop Manufacturer / Supplier: Oxworks Trade Name: Hercules</p> <p>Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>Casing Spacers</p>	<p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: kwik-ZIP Trade Name: HDXT Series</p> <p>City of Gold Coast Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for the following Product: Manufacturer / Supplier: kwik-ZIP Trade Name: HD Series</p> <p>Logan City Council Acceptance Requirements: Accepted for use</p> <p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>

This document contains information which is proprietary to the SEQ service providers and may not be used for purposes other than those intended without written consent from the SEQ service providers

<p>Plastic Marker Post</p>	<p>New Product in the Category: Manufacturer / Supplier: Deks Trade Name: Deks Size Range: 1350 mm Long x 100 mm Wide x 4 mm Thick Logan City Council Acceptance Requirements: NOT ACCEPTED BY SP Unitywater Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p> <p>New Product in the Category: Manufacturer / Supplier: Roadside Products Trade Name: N/A Size Range: 1350 mm Long x 100 mm Wide x 4 mm Thick Unitywater Acceptance Requirements: Accepted for use All other SEQ-SP Acceptance Requirements: Acceptance yet to be determined</p>
<p>Valve Pit Lightweight Polymeric Lids And Frames (Non-Corrosive)</p>	<p>Update Acceptance Requirements for all Products in the Category: Redland City Council Acceptance Requirements: Considered on case by case basis</p>
<p>Category: EMERGENCY STORAGE CHAMBERS</p>	
<p>Emergency Storage Chamber</p>	<p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Rocla Trade Name: Concrete Detention System Manufacturer / Supplier: Humes Trade Name: Concrete Detention System Manufacturer / Supplier: Rocla Trade Name: Plastic Detention System 'Plastream' Redland City Council Acceptance Requirements: RCC accepts only PE lined Pipe</p> <p>Update Acceptance Requirements for the following Products: Manufacturer / Supplier: Chemstore Group Trade Name: Hydrosave Manufacturer / Supplier: Polynex Trade Name: Polynex Redland City Council Acceptance Requirements: Considered on case by case basis</p>

SEQ Accepted Mechanical IPAM List	
Products	Change
PUMPS	
<i>Nil Changes</i>	
ACTUATOR/ SOLENOID VALVES (See Civil list for other valves)	
<i>Nil Changes</i>	
MISCELLANEOUS ITEMS (See Civil List for all Meters including Flow Meters)	
<i>Nil Changes</i>	